

[Web Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[nguyenvanhao1992@gmail.com](#) | [My Account](#) | [Sign out](#)

Google scholar

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

**Scholar**    Results 1 - 100 of about 7,470. (0.33 sec)

Did you mean: event\$ and "client application" and (transmit or **communicate**) and (without or directly) and server

A distributed graphics system for large tiled displays- •psu.edu [PDF]

G Humphreys, P Hanrahan - Proceedings of the conference on Visualization'99: ..., 1999 - portal.acm.org  
... draw the feathering polygons, and which **client application** to listen ... master thread must send one draw **event** to each ... and we will be able to **transmit** many fewer ...  
[Cited by 160](#) - [Related articles](#) - [All 25 versions](#)

Subcontract: A flexible base for distributed programming- •psu.edu [PDF]

G Hamilton, JG Mitchell, ML Powell, 1993 - portal.acm.org  
... The subcontract marshal operation is used by the stubs to **transmit** an object ... **client application** ... Another **event** that may befall our file object is that a client ...  
[Cited by 181](#) - [Related articles](#) - [BL Direct](#) - [All 20 versions](#)

The X window system- •rwth-aachen.de [PDF]

RW Scheifler, J Gettys - ACM Transactions on Graphics (TOG), 1986 - portal.acm.org  
... and their resolution in X. Section 8 deals with input **event** handling ... A **client application** and a ... per second (kbts/s) will be needed, and to **transmit** and display ...  
[Cited by 963](#) - [Related articles](#) - [All 14 versions](#)

... system, method and article of manufacture for a client-server application enabler system

SL Gish - US Patent 5,768,510, 1998 - Google Patents  
... for **communicating** via a particular **communication** protocol. ... LIBRARY MESSAGE LIBRARY APPLICATION LOGIC **SERVER** 1560 1510 ... FUNCTION PE INFO 1730 PE **EVENT** HANDLER FIG ...  
[Cited by 80](#) - [Related articles](#) - [All 4 versions](#)

Automatic call distribution **server** for computer telephony **communications**

KC Kelly - US Patent 5,999,965, 1999 - Google Patents  
... 7,1999 [54] AUTOMATIC CALL DISTRIBUTION **SERVER** FOR COMPUTER TELEPHONY **COMMUNICATIONS** [75] Inventor: Keith C. Kelly, Deerfield Beach, Fla. ...  
[Cited by 44](#) - [Related articles](#) - [All 2 versions](#)

Context-aware mobile **communication** in hospitals

MA Muñoz, M Rodríguez, J Favela, AI ... - Computer, 2003 - doi.ieeecomputersociety.org  
... on the devices themselves to **transmit** data, which ... the action module triggers the **event** the user ... required to the context-aware **client application** that interacts ...  
[Cited by 159](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

... **client application** on client if client is network terminal and initiating **client application** on ...

R Cowan, GP Eckley, PVR Panchangam, ... - US Patent 5,828,840, 1998 - Google Patents  
... to the client terminal via the **client application** at the ... **Communications** Week, In  
Brief; Amex 'Set' For Internet, Mar. ... the Internet; Industry Trend or **Event**, Feb ...  
[Cited by 27](#) - [Related articles](#) - [All 3 versions](#)

**Client/server communication system**

RR Bittinger, ML Fraenkel, BC Housel III, DB ... - US Patent 5,754,774, 1998 - Google Patents  
... the **communication** between the **client application** in the ... and received from the  
**communication transmit-** ted over ... received over the external **communication** link is ...  
[Cited by 50](#) - [Related articles](#) - [All 7 versions](#)

... over a wireless **communication** link between a client web browser and a host web **server** ...

RR Bittinger, ML Fraenkel, BC Housel III, DB ... - US Patent 5,867,661, 1999 - Google Patents  
... APPARATUS OF USING VIRTUAL SOCKETS FOR REDUCING DATA TRANSMITTED OVER A WIRELESS  
**COMMUNICATION** LINK BETWEEN A CLIENT WEB BROWSER AND A HOST WEB **SERVER** USING A ...  
[Cited by 15](#) - [Related articles](#) - [All 2 versions](#)

Flexible and recoverable interaction between applications and active databases- •[kfupm.edu.sa](#) [PDF]

EN Hanson, I Chen, R Dastur, K Engel, V ... - VLDB Journal, 1994 - eprints.kfupm.edu.sa  
... The INGRES mechanism **transmits** the **event** notation to the ... If the handlerFunc is  
null, the **client application** will poll ... is registered for an **event** with **DIRECT** ...  
[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[PDF] •Transparent Remote File Access through a Shared Library Client

B Goglin, L Prylli - Proceedings of the International Conference on ... - Citeseer  
... have designed a custom protocol to **transmit** these requests ... way for data to go from  
**client application** buffers to ... M YRINET ) and wait for the completion **event**. ...  
[Cited by 14](#) - [Related articles](#) - [View as HTML](#) - [All 16 versions](#)

... for remotely accessing an industrial control system over a commercial **communications** ...

AD Papadopoulos, A Tanzman, RA Baker Jr, ... - US Patent 6,061,603, 2000 - Google Patents  
... is found, the buffer, then the driver drops the **transmit** message ... The **client application**  
queues both an indication driver 56, it passes the request to ... If **event**. ...  
[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

**ClusterProbe: an open, flexible and scalable cluster monitoring tool-** •[psu.edu](#) [PDF]

Z Liang, Y Sun, CL Wang - Proc. IWCC - doi.ieeecomputersociety.org  
... we have chosen to gather and **transmit** data using ... A **client application** could be a  
parallel task that requests ... pre-formatting modules and global **event** management ...  
[Cited by 32](#) - [Related articles](#) - [All 17 versions](#)

A flexible and recoverable client/server database **event** notification system- •[psu.edu](#) [PDF]

EN Hanson, IC Chen, R Dastur, K Engel, V ... - The VLDB Journal, 1998 - Springer  
... 1990) are used to help **transmit event** notifications from ... If an **event** is available,  
it is returned. ... it is not necessary for the **client application** to actually ...  
[Cited by 6](#) - [Related articles](#) - [All 6 versions](#)

**[PDF] •The implementation of a CORBA object group service**

P Felber, R Guerraoui, A Schiper - Theory and Practice of Object Systems, 1998 - Citeseer  
... is performed by a state transfer mechanism that **transmits** the state ... Hence, similarly  
to the CORBA **Event Service** 14], OGS provides ... 4. Group **Communication** in OGS ...  
[Cited by 136](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 9 versions](#)

**[PDF] •MONET: A multimedia system for conferencing and application sharing in distributed ...**

K Srinivas, R Reddy, A Babadi, S Kamana, V ... - ... Center, West Virginia University, Morgantown, WV, 1992 - cerc.  
wvu.edu  
... **X Client Application** ... Request **Event**, Reply and Error Data Packet ... The audio conference  
**server** uses a connectionless datagram service to **transmit** audio packets. ...  
[Cited by 31](#) - [Related articles](#) - [View as HTML](#)

**[PDF] •Securing the X Window system with SELinux**

D Kilpatrick, W Salamon, C Vance - NAI Labs. Available at <http://www.nsa.gov/selinux/x11> ..., 2003 - nsa.gov  
... are manipulated explicitly by the **client application** and the ... could be used to **transmit**  
information between ... applications access to input **events** by controlling ...  
[Cited by 29](#) - [Related articles](#) - [View as HTML](#) - [All 27 versions](#)

**... interactive application data between a client and a **server** using markup language**

DC Mitchell, B Walters, D Mitchell - US Patent 6,356,933, 2002 - Google Patents  
... received from the AISP **Transmit** state changes ... of the user interface rendering, **event**  
handling, and ... the user's experience with the **client application** is similar ...  
[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)

**... for optimal multiplexed message aggregation between client applications in client-**server** ...**

G Seitz - US Patent 5,805,823, 1998 - Google Patents  
... APPLICATIONS IN CLIENT-**SERVER** NETWORKS [75 ... [73] Assignee: Wayfarer **Communications**,  
Inc., Mountain View ... Each **client application** effectively, simultaneously, send ...  
[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

**Apparatus for controlling internetwork **communications****

AG Swales - US Patent 6,760,782, 2004 - Google Patents  
... of ensuring that a real-time **event** will be ... buffer, then the driver drops the **transmit**  
message ... The **client application** queues both an indication request on queue ...  
[Cited by 7](#) - [Related articles](#) - [All 7 versions](#)

**Client/**server** system in which protocol caches for multiple sessions are selectively copied ...**

BC Housel III, IB Shields - US Patent 5,907,678, 1999 - Google Patents  
... CORRESPONDING CHECKPOINT CACHE t **TRANSMIT** CONFIRMATION WITH ... **communication** link between  
a **client application** at a ... speed or wireless **communication** system **without** ...  
[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

**[PDF] •Measuring the impact of **event** dispatching and concurrency models on web **server** ...**

JC Hu, I Pyarali, DC Schmidt - GLOBECOM-NEW YORK-, 1997 - Citeseer  
... Through GUI interactions, the **client application** user instructs the ... Figure 7:  
Asynchronous **Event** Dispatching (Windows NT ... by locating the file to **transmit** to the ...  
[Cited by 121](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 22 versions](#)

... application **server** for providing applications on a variety of client devices in a client/server ...

A Shaw, KR Burgess, JM Pullan, PC ... - US Patent 6,362,836, 2002 - Google Patents

... Draw a series of characters **without** background Draw a ... This **communication** causes the launch of an instance of ... engines and display engine processes **transmit** 5 to ...

Cited by 13 - Related articles - All 2 versions

Method and apparatus for selecting an internet/PSTN changeover **server** for a packet based ...

M Mirashrafi, JD Elliott, MF Buondonno, KL ... - US Patent App. 09/823,211, 2001 - Google Patents

... real-time data, the ability to **transmit** packets and ... The Push-To-Talk™ **event** notification includes identification ... 102 in the form of a **client application**. ...

Cited by 37 - Related articles - All 8 versions

[PDF] •The Broker Architectural Framework

M Stal - Object-Oriented Programming Systems, Languages and ..., 1995 - Citeseer

... main **event** loop ... The **client application** is started. ... Some implementations do not **transmit** messages via the broker so as to increase the performance of the whole ...

Cited by 12 - Related articles - View as HTML - All 14 versions

Designing the **communications** infrastructure of groupware systems- •uchile.cl [PDF]

SF Ochoa, LA Guerrero, DA Fuller, O Herrera - Lecture Notes in Computer Science, 2002 - Springer

... The channel **transmits**/receives the messages to/from an ... to it is carried out through a **client application**. ... the channel, **without** going through the **event** handler. ...

Cited by 4 - Related articles - BL Direct - All 7 versions

[PDF] •The **direct** access file system

M DeBergalis, P Corbett, S Kleiman, A Lent, D ... - unix.org

... DAFS also uses RDMA to **transmit** bulk data **directly** ... RDMA write **directly** into the **client's application** buffer ... A scalable and explicit **event** delivery mechanism for ...

Cited by 52 - Related articles - All 8 versions

[PDF] •DCE: An environment for secure client/**server** computing

MM Kong - Hewlett-Packard Journal, 1995 - hpl.hp.com

... 3 describes the flow of **events** that occur when ... used in arrays or structures to **transmit** opaque data ... or via a configuration file, and **client application** code can ...

Cited by 9 - Related articles - View as HTML - BL Direct - All 5 versions

Application dispatcher for seamless, **server** application support for network terminals and ...

GP Eckley, RM Cowan, PVR Panchangam - US Patent 6,163,797, 2000 - Google Patents

... If the client is not a network terminal, then the application dispatcher initiates a **client application** in the **server** to service the client terminal ...

Cited by 5 - Related articles - All 2 versions

Data buffering technique in computer system

AR Saxena, GW Wilhelm Jr - US Patent 5,893,926, 1999 - Google Patents

... before being available to the **client application** from the ... avoiding some of the foregoing **events** during run ... A combined **transmit** and implications adapter and the ...

Cited by 4 - Related articles - All 2 versions

**[PDF] •An accelerated remote graphics architecture for PDAS**

F Lamberti, C Zunino, A Sanna, A Fiume, M ... - Proc. the 8th International Conference on 3D Web ..., 2003 - Citeseer  
... Figure 2: Screenshot of the PDA-based **client application** showing the ... When a new **event** is gener- ated by the ... It provides 4 receive and 2 **transmit** time-slots ...  
[Cited by 38](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

**... and method for data transfers through software agents using client-to-server and peer-to- ...**

JL Nieten - US Patent 5,944,783, 1999 - Google Patents  
... **Event** driven software tends to be more "modular" than ... For example, a **client application** may randomly generate 60 a ... that ask the web **server** to **transmit** a 10 ...  
[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

**... -oriented system, method and article of manufacture for a client-server session web access ...**

SL Gish - US Patent 6,052,711, 2000 - Google Patents  
... 2300 UI->Model MAP (receiveCB) **Event** Handler PEInfo ... createMessageHandlersQ  
initializeApplicationQ Description Sets **server Communication** Library properties ...  
[Cited by 16](#) - [Related articles](#) - [All 4 versions](#)

**[PDF] •An Instant Message-Driven User Interface Framework for Thin Client Applications**

M Book, V Gruhn, G Mucke - 21st IEEE/ACM International Conference on Automated ..., 2006 - ebus.informatik.uni-leipzig.de  
... **server** may also send such an **event** on his ... can sus- pend work with the thin **client application** (both volun ... on the frame buffer level to **transmit** any graphical in ...  
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

**... -oriented system, method and article of manufacture for a client-server communication ...**

SL Gish - US Patent 6,424,991, 2002 - Google Patents  
... 23,2002 (54) OBJECT-ORIENTED SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FORA  
**CLIENT-SERVER COMMUNICATION** FRAMEWORK (75) Inventor: Sheri L. Gish, Mountain View ...  
[Cited by 4](#) - [Related articles](#) - [All 4 versions](#)

**[PDF] •... conversational multimedia interfaces for accessing network services across communication ...**

G Di Fabbrizio, S Narayanan, P Ruscitti, C ... - IEEE International Conference on Multimedia and Expo ..., 2000 - Citeseer  
... network protocol specification used to **transmit** ECTF S ... A **client application** may use either a synchronous or ... terminate a command correctly, **event** priorities are ...  
[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

**Object-oriented system, method and article of manufacture for migrating a client-server ...**

SL Gish - US Patent 6,272,556, 2001 - Google Patents  
... for **communicating** via a particular **communication** protocol to a ... LIBRARY MESSAGE LIBRARY  
APPLICATION LOGIC **SERVER** 1560 1510 ... INFO FIG.-17 1730 PE **EVENT** HANDLER PE ...  
[Cited by 3](#) - [Related articles](#) - [All 4 versions](#)

**Communication system**

Y Nakata, S Matsui, Y Takahashi, T Kondou, Y ... - US Patent 5,854,841, 1998 - Google Patents  
... **communication** between application programs **without** addition of ... is transferred to the **communication** program. ... r< •titd GetMessageQ ,1125 **Event** PROCESSING -1325 ...  
[Cited by 3](#) - [Related articles](#) - [All 3 versions](#)

### [PS] •Measuring thin-client performance using slow-motion benchmarking

SJ Yang, J Nieh, N Novik - [usenix.org](#)

... designed specifically to run the **client application** or simply a ... it ensures that display **events** reliably complete ... update takes longer to **transmit**, resulting in ...

[Cited by 66](#) - [Related articles](#) - [Cached](#) - [BL Direct](#) - [All 31 versions](#)

### Personnel and asset tracking method and apparatus

DJ Ulrich, ME Wagener, S Patel, JJ Schmid, ... - US Patent App. 10/980,689, 2004 - Google Patents

... If either monitoring system loses **communication** with the central **server** it will store location updates to **transmit** when **communication** is restored. ...

[Cited by 8](#) - [Related articles](#) - [All 7 versions](#)

### ... generating device, a three-tier client/server system, and a medium storing a **communication** ...

T Ueda - US Patent 6,343,332, 2002 - Google Patents

... TO GATEWAY OBJECT GATEWAY OBJECT **TRANSMITS** CONTENTS OF ... a process in response to an **event** occurring with ... between relevant twos of a **client application**, a 3fl of ...

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

### A framework for prototyping J2EE replication algorithms- •psu.edu [PDF]

O Babaoglu, A Bartoli, V Maverick, S Patarin, ... - LECTURE NOTES IN COMPUTER SCIENCE, 2004 - Springer

... It may choose to pass the **event** on to the ... between the servers in a cluster, and **transmit** a set ... the other part, in a configurable **client application** that uses ...

[Cited by 17](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

### [PDF] •Scalability of content-aware **server** switches for cluster-based Web information systems

M Andreolini, M Colajanni, M Nuccio - Proc. of 12th Int'l World Wide Web Conf.(WWW2003) - [uzh.ch](#)

... remain transparent to both the user and the **client application**. ... already transferred TCP connections and **transmit** them to ... This **event** means that a TCP port has ...

[Cited by 20](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

### ... -oriented system, method and article of manufacture for a client-**server** session manager in ...

SL Gish - US Patent 5,848,246, 1998 - Google Patents

... segments resident on the **server** which execute on the **server** in response ... client computer code segment for **communicating** via a particular **communication** protocol. ...

[Cited by 43](#) - [Related articles](#) - [All 2 versions](#)

### **Event**-triggered notification over a network

M Gupta, N Modani, PA Mittal - US Patent 6,763,384, 2004 - Google Patents

... mail **server** to the **client application** uses either ... messages that need to be **transmit**- ^ are currentl ... Devices In another embodiment, **event**-triggered notification ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

### Common channels for inter-application **communications**

JP Brechtel, G La Buhn - US Patent 5,748,962, 1998 - Google Patents

... Many Shared Memory—to **transmit** the data. ... If a response to the original sender (**client application**) is needed, the same ... 3 shows a typical sequence of **events**. ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

### Method and apparatus for establishing **communications** from browser application

SD Mattaway, GW Hutton, BD Noe, SM ... - US Patent 6,275,490, 2001 - Google Patents  
... 024,251 entitled System and Methods for Point-to-Point **Communications** over a ... 08/719,894,  
entitled **Directory Server** For Providing Dynamically Assigned Net- work ...  
[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] •Heterogeneous and Converged World

W Kellerer, C Bettstetter, C Schwingenschlögl, ... - IEEE Personal **Communications**, 2001 - macbruegge8.informatik.tu-muenchen.de  
... about restaurants, shops, cultural **events**, and the ... T) provide mechanisms to **transmit**  
broadband information ... format supported by the **client application** or client ...  
[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 16 versions](#)

### Method and system for establishing secure **communication** over computer networks

CA Jardin - US Patent 6,671,810, 2003 - Google Patents  
... The initiating **event** can be a request for ... the remote **client application**, and then  
**transmit** the selected ... be executed at the remote **client application** and linked ...  
[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] •Modelling application handovers for thin-client mobility

P Simoens, L Deboosere, D De Winter, F De ... - Proceedings of The 2006 International Conference on ..., 2006 - Citeseer  
... other problems arise when migrating a thin-**client application**. ... delay  $\Delta$  time to  
checkpoint, **transmit** and restart ... by **server 1**. The first **event directly** sent to ...  
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

### Integrated data **communication** and data access system including the application data ...

P Jain, S Ahmed - US Patent 6,073,139, 2000 - Google Patents  
... 57] ABSTRACT An integrated data **communication** and data ... 26c2 38 DISTRIBUTION PROTOCOL  
(INTERESTS) **CLIENT APPLICATION** 2 40 ... App1 REGISTERS INTEREST IN **EVENT "X"** L ...  
[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

### ... , method and article of manufacture for a client-**server event** driven message framework in ...

SL Gish - US Patent 6,304,893, 2001 - Google Patents  
... ARTICLE OF MANUFACTURE FOR A CLIENT-**SERVER EVENT** DRIVEN MESSAGE ... which execute on the  
**server** in response ... for **communicating** via a particular **communication** protocol ...  
[Cited by 12](#) - [Related articles](#) - [All 4 versions](#)

### Implementing a Physician's Workstation using client/**server** technology and the distributed ...- •nih.gov [PDF]

TQ Pham, CY Young, PC Tang, HJ Suermondt, ... - Proceedings of the Annual Symposium on Computer ..., 1994 - pubmedcentral.nih.gov  
... a much lighter work load, the **event** service now ... the result, other threads in the  
**client application** can still ... By using RPC to **transmit** data between client and ...  
[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

### ... computing system using pseudo **server** process to allow input from different **server** ...

DB Berkowitz, MC Hao, HC Lieu, FD Snow - US Patent 5,392,400, 1995 - Google Patents  
... The the **communication** protocol. ... group using a sophisti- ^y uses to **transmit** and receive ...  
All invitees must Also, WinColl receives replies and **events** from the be ...

[Cited by 89](#) - [Related articles](#) - [All 2 versions](#)

**A generic multicast transport service to support disconnected operation- •kfupm.edu.sa [PDF]**

S Maffeis, W Bischofberger, KU Mätzel - Wireless Networks, 1996 - Springer

... **client application**: // SimpleApi gts; Message request, reply; request ... Fred) creates, packages, **transmits**, and applies ... GTS into a Corba **event** channel service ...

[Cited by 28](#) - [Related articles](#) - [All 14 versions](#)

**Dual ethernet protocol stack for maximum speed access to a programmable logic controller ...**

AD Papadopoulos, A Tanzman, RH Naismith - US Patent 6,587,884, 2003 - Google Patents

... The **client application** queues both an indication Protocol of ... calls the application's examines the **transmit** queue, and ... a socket number, a task ID, and an **event**. ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

**[PDF] •A client/server architecture for distributed workflow management systems**

H Schuster, S Jablonski, T Kirsche, C Bussler - Proc. of Third Int'l. Conf. on Parallel and Distributed ..., 1994 - Citeseer

... start}, ... add(TCP, {start}, ... user **event** ask\_for(TCP ... The second task **transmits** the request to ... transparent to the implementor of the **client application**. ...

[Cited by 38](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

**Internet web interface including programmable logic controller for controlling output devices ...**

AG Swales, R Naismith, R Breinlinger, RA ... - US Patent 6,151,625, 2000 - Google Patents

... the Ethernet driver 48 examines the **transmit** queue, and ... The **client application** queues both an indication request on ... a socket number, a task ID, and an **event**. ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

**Distributed 3D Information Visualization—Towards Integration of the Dynamic 3D Graphics ...**

D Vucinic, D Deen, E Oanta, Z Batarilo, C ... - Advances in Computer Graphics and Computer Vision: ..., 2007 - Springer

... a 2D map; also capable of **event** generation (**transmits** the area ... are capable of sorting the **event** stack (see ... to integrate it into the **client application** part of ...

[Cited by 1](#) - [Related articles](#) - [All 3 versions](#)

**... in a client/server database system using pseudo-database server and debugger processes**

T Eto, T Yoshizawa, K Shiga - US Patent 5,561,763, 1996 - Google Patents

... 1, 1996 [54] METHOD AND APPARATUS FOR TESTING AN APPLICATION IN A CLIENT/SERVER DATABASE SYSTEM USING PSEUDO-DATABASE **SERVER** AND DEBUGGER PROCESSES [75 ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

**Enterprise server for communication for a supervisory control and data acquisition (SCADA) ...**

DC Osburn III - US Patent 6,961,753, 2005 - Google Patents

... from at least one **client application** for specific ... of terminals to receive and **transmit** **communications** to a ... Other software packages can **communicate** with the RTU ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

**[PDF] •Mockets: A novel message-oriented communication middleware for the wireless internet**

M Tortonesi, C Stefanelli, N Suri, M Arguedas ... - ... Conference on Wireless Information Networks and ..., 2006 - mockets.ihmc.us

... notify the applications when the registered **events** occur ... The **client application**



generates an update message at a frequency of 1 Hz and **transmits** it to ...

[Cited by 12](#) - [Related articles](#) - [View as HTML](#)

**[PDF] •A trusted network model using the lightweight **directory** access protocol**

DC Vasiliadis, GE Rizos, E Stergiou, SV ... - ... on Applied Informatics and **Communications**-Volume 7, 2007 - wseas.us

... In the **event** of a query, the **server** either ... If the **client application** is attempting to modify information an ... DHCP, and the RADIUS servers **transmit** requests for ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

**[PDF] •A Low Overhead Application/Device-driver Interface for User-level Networking**

D Riddoch, S Pope, E Cambridge - International Conference on Parallel and Distributed ..., 2001 - Citeseer

... immediately available, and on the **transmit** side before ... onto a single asyn-chronous **event** queue for ... The **client application** makes one or more connections to the ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

**Client application program mobilizer**

WJ Gauvin, R Cheung, KP Brosnan, EJ ... - US Patent 5,790,800, 1998 - Google Patents

... In addition, it the **communication** connection between the client ... is desired to allow a **client application** to operate ... of the LAN or environment **without** re-design ...

[Cited by 23](#) - [Related articles](#) - [All 2 versions](#)

**Web interface to a programmable controller**

AD Papadopoulos, A Tanzman, RA Baker, RG ... - US Patent App. 09/738,445, 2000 - Google Patents

... buffer, then the driver drops the **transmit** message ... The **client application** queues both an indi- cation request on queue ... a socket number, a task ID, and an **event**. ...

[Cited by 7](#) - [Related articles](#) - [All 8 versions](#)

**[PDF] •Application sharing in teaching context with wireless networks**

C Burger, S Papakosta, K Rothermel - Proceedings World Congress NETWORKED LEARNING IN A ..., 2002 - ias.uni-stuttgart.de

... By **transmit**-ting audio and video from lectures to ... (**client**) **Application** (client part)

Floor control ... purposes: informing latecomers about past **events** and data ...

[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

**[PDF] •An architecture for group **communications**-support networked multimedia applications**

J Zissopoulos, J Soldatos, E Vayias, G Branis, ... - ... -Performance **Communication** Systems, 1997.(HPCS'97 ..., 1997 - Citeseer

... not target at supporting large distributed **events**, where the ... The **Client application** is executed on the workstations of ... for users that cannot **transmit** (but only ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

**[PDF] •Acceptor and connector**

DC Schmidt - Pattern Languages of Program Design - Citeseer

... mode endpoints used by Service Handler's to **transmit** data between ... not im- portant and if the **client application** must perform ... **START EVENT LOOP FOREACH EVENT DO ...**

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 28 versions](#)

... , data-object format and asynchronous **communication** methods **without** the use of a markup ...

GP Patnude - US Patent App. 11/164,051, 2005 - Google Patents

... [0088] (5) **Transmit** the textually ... be developed in other languages to **communicate** with or ... response processing techniques of the **client application** interface and ...

All 2 versions

**Communications** system for monitoring user interactivity

SJ Kammerer - US Patent App. 10/385,951, 2003 - Google Patents

... **transmits** the contact list to the **client application** via non ... B Proxy A **transmits** a session **event** to notify ... updates it presence database and **transmits** a presence ...

All 2 versions

**Communication** method between an http **server** and a client

D Mischler, V Crocitti, C Delaunay, 2003 - freepatentsonline.com

... is generated locally by its device, it **transmits** this **event** ... **server** use this **event** to inform a **client application** that an ... by the address given in the **event** body ...

All 2 versions

... AND SYSTEM FOR PURCHASING **EVENT** TICKETS USING A MOBILE **COMMUNICATION** ...

M Fisher... - US Patent App. 11/933,351, 2007 - Google Patents

... application that provides movie and **event** information. ... be a thin **client application** or hybrid **client application**. ... a connectionless protocol to **transmit** data to ...

All 2 versions

... readable medium and apparatus for providing a graphical user interface in a client-**server** ...

LJ Wood, JD Richards, ED Katz, AJ Rieger - US Patent App. 10/826,673, 2004 - Google Patents

... bars, display dialog boxes and **transmit** data for ... clicks the Log on button, **client application** 101 establishes ... a Begin Session command and **event** are exchanged ...

All 2 versions

... ARTICLE OF MANUFACTURE FOR SEAMLESS, **SERVER** APPLICATION SUPPORT OF ...

R Cowan, G ECKLEY, P PANCHANGAM, W ... - No.: WO/1998/006207, 1998 - freepatentsonline.com

... 741 which responds to the "first connection" **event** by requesting ID ... 1112 that is associated with the **client application** 822 which **transmits** an appropriate ...

All 4 versions

Data access, replication or **communication** system comprising a distributed software ...

L Wolovitz, M Gretton, B Standen - US Patent App. 10/553,721, 2004 - Google Patents

... often employ a methodology that **transmits** large amount of ... the contacts database (with **event** triggers from ... distributed client to continue **communication** with the ...

All 6 versions

**Event** notification over a **communications** network

A Garyfalos, T Burbidge, A Soppera, RJ ... - US Patent App. 10/496,067, 2002 - Google Patents

... Content distribution can also differ from **event** notification in ... other common method is to **transmit** con- tinuously ... and do not use a secondary **communication** chan ...

All 6 versions

## Communications management between client and server processes

S Kapoor, GM Alvis, 1996 - freepatentsonline.com

... physical devices and medium used to **transmit** information. ... would never succeed (unless the **client application** was comparing ... In the **event** that there is more than ...

[All 2 versions](#)

## System and method for managing client requests in client-server networks

CA Jardin, S Schnetzler - US Patent 6,912,588, 2005 - Google Patents

... i **SERVER PREPARES PACKETS FOR CLIENT SERVER TRANSMITS** PACKETS TO ... to be terminated and the **client application** to be ... be caused by a variety of **events**, such as a ...

[Related articles](#) - [All 6 versions](#)

## System and method for distributing a multi-client game/application over a communications ...

M Poulin - US Patent App. 10/162,438, 2002 - Google Patents

... appreciated, the positional, status and **event** information/data ... single cast describes a simple **communication** system dedicated ... **server** 14, 16, 18 **transmits** to the ...

[All 4 versions](#)

## Client-server application partitioning with metering technique for distributed computing

EJ Lau, RG Menna, P Navare, T Nguyen, J ... - US Patent 6,832,380, 2004 - Google Patents

... OS API/Message •206 •207 **Client Application** OS API ... Call/Message\Jes **Transmit** Call/Message < **Communication** Module ... 1 | 1 1 **Server Communication** Module formats ...

[Related articles](#) - [All 2 versions](#)

## Event interface for a carrier manager system

G Boucher, TA Carroll, JE Hasbani, K ... - US Patent 6,873,978, 2005 - Google Patents

... US 6,873,978 BI **EVENT** INTERFACE FOR A ... of resource intensive inter-process **communication** (IPC) mechanisms ... application (ie second **client application** 120) only ...

[All 2 versions](#)

## Systems and methods for asynchronous processing of electronic shelf label communication ...

KW Haulk, GL Edwards - US Patent App. 10/157,676, 2002 - Google Patents

... As an example, when the **client application** 106 makes a ... the CBS manager 112 to **transmit** one or ... present invention provides for an **event** notification technique ...

[All 3 versions](#)

## Server and method for computer communication for automatically performing and ...

E Lialiamoy, M Anapliotis, S Pachnis, 2006 - freepatentsonline.com

... The **events** are generated by a number of different ... The **server** also **transmits** at least a part of ... The **client application** has small footprint explained above.so as ...

[All 4 versions](#)

## [PDF] •Using XML messages in communication between elements of the eLearning system

K Tokarz, P Jedrychowski - wseas.us

... main function is handling the **events** usually incoming ... **Communication** between **server** and **client application** is done ... The **server** can also **transmit** many streams ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

System and method for **communication** and mapping of business objects between mobile ...

GK Avery, RW Brouckman, JG Cleary, AI ... - US Patent App. 10/801,488, 2004 - Google Patents

... The **communication** module is configured to receive and **transmit** business objects between ... The mobile client device includes a thick **client application** in data ...

All 2 versions

System and method for controlling data **communications** between a **server** and a client ...

D Bajar, P Luk, MK Brown, D May - US Patent App. 11/346,255, 2006 - Google Patents

... data using a first key and **transmit** encrypted data to ... limited to, e-mail, calendar **events**, voice mails ... subsystem 122 pro- vides for **communication** between mobile ...

All 4 versions

A device for **communicating** data within a theatre

J Bert, A Gillissen, 2003 - freepatentsonline.com

... base station being provided to **transmit** said selected ... of theatre items relating to **events** running in ... possible to connect the **client application** module **directly** ...

All 2 versions

... video streaming to video enabled **communication** device, with **server** based processing and ...

R Benson, E Boily, C Le Discorde, F Paquet, 2008 - freepatentsonline.com

... via a web browser or a **client application** to view ... receiving the notification of the **event**, the surveillance ... the video monitoring device, and **transmit** 517 the ...

All 3 versions

System and method for asynchronous client **server** session **communication**

SM van den Oord, MH Smit - US Patent App. 09/933,493, 2001 - Google Patents

... i ^ STOP 606 handle **event** 608 results in ... relates generally to client-**server** **communication** systems, and ... make information available to users **without** the complex ...

All 4 versions

Client/**server** system and button updating method for **client application**

Y Watanabe - US Patent App. 10/046,175, 2002 - Google Patents

... the **client application** to connect **directly** to newly ... provide a function of **communicating** with the ... button is operated, the **client application** **transmits** an update ...

All 5 versions

METHODS AND APPARATUS FOR DISPLAYING APPLICATION OUTPUT ON DEVICES ...

T Adachi - US Patent App. 10/709,581, 2004 - Google Patents

... and limited system resources **without** degradation in ... support commercial wireless **communication** ser- vices ... The **client application** **transmits** and receives http or ...

All 6 versions

System, method, and service for dynamically selecting an optimum message pathway

RG Deen, JH Kaufman, TJ Lehman - US Patent App. 11/139,799, 2005 - Google Patents

... same complex object (defined by the **client application**) via the ... to the infrastructure **server** in the **event** that the ... 15 and system 10 to **transmit** messages using ...

All 2 versions



---

event\$ and "client application" and (transmit or communicat) and (without or directly) and server

---

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google